

Pedestrian Door 610 PS Service Door


The Controlsa service door is the ideal solution for pedestrian passage in food facilities.

An ideal solution for installations in which a practical, aesthetic and clean step is required, and an adequate insulation for the perfect conservation of interior products and reduction of energy losses.

TECHNICAL DATA		
MAXIMUM MEASURES (mm)	ONE SHEET W=1000 X H=2400 DOUBLE SHEET W=1900 X H=2400	
APPLICATION ZONES	INTERIOR	
OPENING	MANUAL (LEVER)	
MATERIALS	PANEL FRAME	WHITE LACQUERED ALUMINIUM
	PANEL DOOR	POLYURETHANE 40 kg/m ³ STEEL SHEET 0,60 mm FINISH: WHITE THICKNESS 80mm
	FRAME DOOR	WHITE LACQUERED ALUMINIUM
OPTIONS	HANDLE WITH PLATE AND LOCK	STEP HANDLE
		HANDLE WITH KEY
		ANTIPANIC
		HANDLE WITH LOCK
	PEEPHOLE	GLASS (ø300mm)
	DOOR CLOSER	POWER SELECTABLE
WITHOUT POWER SELECTABLE		



Service Door 610 PS







Note:
 One-sheet Service Door with right opening 1S-RO
 Opening by pulling to the right

CONTROLSA, S.A reserves the right to change models and characteristics without prior warning. The technical data published in this catalogue is provided for information only, and entails no commitment whatsoever by CONTROLSA, S.A.
 The total or partial reproduction of the data, drawings and/or photographs used in this catalogue is totally forbidden, as is any transmission by electronic, mechanical, reprographic or magnetic medium



Service Door 610 PS Double Sheet



Note:
 Double-sheet Service Door with right opening 2S-RO
 Opening by pulling to the right

CONTROLSA, S.A reserves the right to change models and characteristics without prior warning. The technical data published in this catalogue is provided for information only, and entails no commitment whatsoever by CONTROLSA, S.A.
 The total or partial reproduction of the data, drawings and/or photographs used in this catalogue is totally forbidden, as is any transmission by electronic, mechanical, reprographic or magnetic medium

